



EBERLE

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

Shaver System EBERLE C2



- **Shaver System**
article no. 913000
- **Control Unit**
article no. 913001
- **Foot Switch**
article no. 913003-2
- **Hand Piece**
article no. 913020
casing material aluminum
article no. 913040
casing material steel
- **Hand Piece
for manual operation**
article no. 913021
casing material aluminum
article no. 913041
casing material steel

Control Unit

- console to control motor-driven Eberle hand pieces
- user-programmable memory locations for individual speed adjustment
- Speed can be selected by using buttons at the control unit or by using the foot switch

Hand Piece

- ergonomically shaped hand piece, autoclavable
- micro-processor controlled drive motor
- speed ranges:

cutting blades	300 – 4000 min ⁻¹
oscillation mode	500 – 4000 min ⁻¹
burring	500 – 8000 min ⁻¹



Hand Piece for manual operation

- ergonomically shaped hand piece. autoclavable
- micro-processor controlled drive motor
- manual operation of anticlockwise/clockwise rotation, oscillation mode
- speed ranges:

cutting blades	300 – 4000 min ⁻¹
oscillation mode	500 – 4000 min ⁻¹
burring	500 – 8000 min ⁻¹



Foot Switch

- user-friendly two-pedal footswitch with anticlockwise/clockwise rotation, oscillation mode
- infinitely variable speed setting



Drill Chuck Adapter

article no. 913011

- drill receptacle 0 – 4 mm
- can be used with article no. 913020 article no. 913040 article no. 913021 article no. 913041



Cleaning Adapter

for C2 hand pieces

article no. 100020



Brushes

for C2 handles

Cleaning brush, bent-over tip
length: 150 mm
article no. 011001-301



Cleaning brush with eyelet
length: 150 mm
article no. 011001-302



Cleaning brush, rounded tip
length: 300 mm
article no. 011001-300



Universal Motor Hand Piece for manual operation

- ergonomically shaped hand piece, autoclavable
- micro-processor controlled drive motor
- manual operation of anticlockwise/clockwise rotation
- speed range: 0 – 1500 min⁻¹, infinitely variable



○ Universal Motor Hand Piece
article no. 913018

..... Wire Driver Adapter
article no. 913026
article no. 913034

..... Drill Chuck Adapter
article no. 913027
article no. 913019
article no. 913022

..... Sagittal Saw Adapter
article no. 913024

Wire Driver Adapter

article no. 913026

- receptacle for 1.8 – 3.2 mm

article no. 913034

- receptacle for 0.6 – 1.8 mm



Drill Chuck Adapter

article no. 913027

- receptacle for 0.7 – 7.4 mm



Drill Chuck Adapter High Power

article no. 913019

- receptacle for 0.7 – 7.4 mm
- rotational speed 0 – 500 min⁻¹



Drill Chuck Adapter

article no. 913022

- receptacle for 0 – 3 mm, no spanner



Sagittal Saw Adapter

article no. 913024

- oscillation frequency 0 – 20.000 cycl./min.



EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems





Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

Shaver Blades for EBERLE C2 Shaver System

effective length 130 mm
reusable










Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	9131135	9131142	9131148	9131155	
	Full Radius Resector Sharp Cut		9132742			
	Aggressive Full Radius	9131335	9131342	9131348	9131355	
	Aggressive Full Radius Plus		9133442			
	Double Full Radius		9132542		9132555	
	Double Aggressive Full Radius		9132342		9132355	
	Conical Double Full Radius		9132442			
	Full Radius Resector Small Window		9132242		9132255	
	Meniscus Cutter	9131235	9131242		9131255	
	Aggressive Meniscus Cutter	9131535	9131542	9131548	9131555	

continued on page 2.1

Shaver Blades for EBERLE C2 Shaver System




continued from page 2.0

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter Plus		9132142			
	Double Meniscus Cutter		9132642		9132655	
	Aggressive Meniscus Side Cutter	9131435	9131442		9131455	
	Round Burr		9131042 Ø burr 3.0 mm		9131055 Ø burr 4.0 mm	9131065 Ø burr 5.0 mm
	Oval Burr				9131955 Ø burr 4.0 mm	9131965 Ø burr 5.0 mm
	Aggressive Oval Burr				9133855 Ø burr 4.0 mm	9133865 Ø burr 5.0 mm
	Tapered Burr				9131855 Ø burr 4.0 mm	9131865 Ø burr 5.0 mm

Shaver Blades for EBERLE C2 Shaver System

effective length 130 mm, 15° bent
reusable











		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		9133042		9133055	
	Aggressive Full Radius Cutting window inwards		9133242		9133255	
	Aggressive Meniscus Side Cutter Cutting window outwards		9133142		9133155	

Shaver Blades for EBERLE C2 Shaver System

for hip arthroscopy effective length 210 mm
reusable



Packing unit 5 pieces


	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector Sharp Cut tubular		9132742H			
 Aggressive Full Radius tubular		9131342H	9131348H	9131355H	
 Meniscus Cutter tubular		9131242H		9131255H	
 Aggressive Meniscus Cutter tubular		9131542H	9131548H	9131555H	
 Aggressive Meniscus Cutter Plus tubular		9132142H			
 Round Burr				9131055H	
				Ø burr 4.0 mm	
 Oval Burr				9131955H	
				Ø burr 4.0 mm	
 Aggressive Oval Burr				9133855H	
				Ø burr 4.0 mm	

Shaver Blades for EBERLE C2 Shaver System

effective length 210 mm, 15° bent
reusable



Packing unit 5 pieces




	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Aggressive Full Radius Cutting window inwards		9133242H		9133255H	


Shaver Blades for EBERLE C2 Shaver System

for small joint surgery, effective length 70 mm
reusable




Packing unit 5 pieces

	Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
 Full Radius Resector	9131120SJ	9131125SJ	9131135SJ
 Aggressive Full Radius	9131320SJ	9131325SJ	9131335SJ
 Round Burr		9131025SJ	9131035SJ
		Ø burr 1.8 mm	Ø burr 2.5 mm



Cleaning Adapter

for reusable
C2 shaver blades
article no. 100001



Cleaning Set








article no. 900019

Shaver Blades for EBERLE C2 Shaver System

effective length 130 mm
sterile packaging, one-time use









Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	9141135	9141142	9141148	9141155	
	Full Radius Resector Sharp Cut		9142742			
	Aggressive Full Radius	9141335	9141342	9141348	9141355	
	Aggressive Full Radius Plus		9143442			
	Double Full Radius		9142542		9142555	
	Double Aggressive Full Radius		9142342		9142355	
	Conical Double Full Radius		9142442			
	Full Radius Resector Small Window		9142242		9142255	
	Meniscus Cutter	9141235	9141242		9141255	
	Aggressive Meniscus Cutter	9141535	9141542	9141548	9141555	

continued on page 2.5

Shaver Blades for EBERLE C2 Shaver System

continued from page 2.4




		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter Plus		9142142			
	Double Meniscus Cutter		9142642		9142655	
	Round Burr		9141042 Ø burr 3.0 mm		9141055 Ø burr 4.0 mm	9141065 Ø burr 5.0 mm
	Oval Burr				9141955 Ø burr 4.0 mm	9141965 Ø burr 5.0 mm
	Aggressive Oval Burr				9143855 Ø burr 4.0 mm	9143865 Ø burr 5.0 mm
	Tapered Burr				9141855 Ø burr 4.0 mm	9141865 Ø burr 5.0 mm

Shaver Blades for EBERLE C2 Shaver System

effective length 130 mm, 15° bent
sterile packaging, one-time use



Packing unit 5 pieces









		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		9143042		9143055	
	Aggressive Full Radius Cutting window inwards		9143242		9143255	
	Aggressive Meniscus Side Cutter Cutting window outwards		9143142		9143155	

Shaver Blades for EBERLE C2 Shaver System

for hip arthroscopy, effective length 210 mm
sterile packaging, one-time use



Packing unit 5 pieces


		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Sharp Cut tubular		9142742H			
	Aggressive Full Radius tubular		9141342H	9141348H	9141355H	
	Meniscus Cutter tubular		9141242H		9141255H	
	Aggressive Meniscus Cutter tubular		9141542H	9141548H	9141555H	
	Aggressive Meniscus Cutter Plus tubular		9142142H			
	Round Burr				9141055H Ø burr 4.0 mm	
	Oval Burr				9141955H Ø burr 4.0 mm	
	Aggressive Oval Burr				9143855H Ø burr 4.0 mm	

Shaver Blades for EBERLE C2 Shaver System

for small joint surgery, effective length 210 mm, 15° bent
sterile packaging, one-time use



Packing unit 5 pieces




	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Aggressive Full Radius Cutting window inwards		9143242H		9143255H	

Shaverblades für Eberle C2 Shaversystem

for small joint surgery, effective length 70 mm
sterile packaging, one-time use



Packing unit 5 pieces

	Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
 Full Radius Resector	9141120SJ	9141125SJ	9141135SJ
 Aggressive Full Radius	9141320SJ	9141325SJ	9141335SJ
 Round Burr		9141025SJ	9141035SJ
		Ø burr 1.8 mm	Ø burr 2.5 mm

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments


Implants and Accessories

Interference screws, insertion aids


Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS


Sagittal Saw Blades




	article no.
saw blade 27 x 6 x 0.4 width of cut 0.6 mm	900092



	article no.
saw blade 22 x 8 x 0.3 width of cut 0.4 mm	900116



	article no.
saw blade 31 x 10 x 0.3 width of cut 0.4 mm	900117



	article no.
saw blade 50 x 14 x 0.4 width of cut 0.7 mm	900119



	article no.
twist drill Ø 7 mm 2.2 x 180 mm tubular shaft: AO ▲	900126
twist drill Ø 8 mm 2.2 x 180 mm tubular shaft: AO ▲	900125
twist drill Ø 9 mm 2.2 x 180 mm tubular shaft: AO ▲	900124
twist drill Ø 10 mm 2.2 x 180 mm tubular shaft: AO ▲	900123

Wires



		article no.
Drill wire without eyelet	Ø 2.4 x 310 mm	900025
Drill wire with eyelet	Ø 2.4 x 380 mm	900026
Pointed wire with eyelet knurled	Ø 2.4 x 430 mm	900027
Dilatation rod	Ø 4.0 x 230 mm	900085
Kirschner wire trocar – round	Ø 0.8 x 150 mm	900108
Kirschner wire trocar – round	Ø 1.0 x 150 mm	900107
Kirschner wire trocar – round	Ø 1.2 x 150 mm	900106
Kirschner wire trocar – trocar	Ø 1.2 x 160 mm	900094



		article no.
Kirschner wire trocar – round	Ø 1.2 x 160 mm	900082
Kirschner wire threaded. trocar – trocar	Ø 1.2 x 200 mm	900095
Kirschner wire threaded. trocar – round	Ø 1.2 x 200 mm	900083
Kirschner wire trocar – round	Ø 1.2 x 310 mm	900112
Kirschner wire trocar – trocar	Ø 1.2 x 310 mm	900084
Kirschner wire trocar – round	Ø 1.4 x 150 mm	900105
Kirschner wire round – round	Ø 1.5 x 380 mm	900109
Kirschner wire trocar – round	Ø 1.6 x 150 mm	900090
Kirschner wire round – round	Ø 1.6 x 230 mm	900028
Kirschner wire round – round	Ø 1.6 x 310 mm	900110
Kirschner wire trocar – round	Ø 1.8 x 150 mm	900089
Kirschner wire trocar – round	Ø 2.0 x 150 mm	900088
Kirschner wire trocar – round	Ø 2.0 x 310 mm	900111
Kirschner wire trocar – round	Ø 2.4 x 310 mm	900086

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS



Camera System

Control Unit
article no. 913029

1-Chip Camera Head
with Cable
article no. 913032

Keyboard USB
article no. 900230

Keyboard USB US/EU
article no. 900313

Due to the high-resolution sensor, coupled with the specially developed image processing, it is possible, even in only dimly lit cavities, to take pictures that show natural colours and are rich in detail and in contrast.

These technical features ensure that the Full HD camera is suited for widely different applications.

Resolution

- HDTV: 1080p
- HDTV: 1080i
- HDTV: 720p
- PAL: 576i
- NTSC: 480i

Frequency

- Optional 50 or 60 Hz

Outputs

- 1 x DVI
- 1 x Component (HD-RGB, -YPbPr)
- 1 x S-Video
- 1 x Composite (PAL/NTSC)
- 2 x HD-SDI 3G (optional)
- 2 x Remote

Camera head functions

- 3 programmable keys
- coupler is available with fixed focal lengths and zoom

By means of the PC keyboard it is possible to edit and show

- patient's records (up to 10 datasets)
- time and date
- stop watch



Objective lens, standard

	article no.
HD TV-Adapter f=21 mm	900213
HD TV-Adapter f=18 mm	900215



Objective lens, automatic

	article no.
HD TV-Adapter f=21 mm with automatic coupling	900260
HD TV-Adapter f=18 mm with automatic coupling	900261



Objective lens, zoom

	article no.
HD TV Zoom-Adapter f=15 - 36 mm	900214
HD TV Zoom-Adapter f=15 - 36 mm with automatic coupling	900262




	article no.
Arthroscope Ø 2.75 x 110 mm, line of sight 30°	900113
Arthroscope Ø 2.75 x 110 mm, repair part replacement	900113R
Arthroscope Ø 4.0 x 175 mm, line of sight 30°	900004
Arthroscope Ø 4.0 x 175 mm, repair part replacement	900004R
HD Arthroscope Ø 4.0 x 175 mm, viewing direction 30°	900256
HD Arthroscope Ø 4.0 x 175 mm, with repair replacement	900256R
Endoscopy sieve tray for lense, 290 x 80 x 52 mm	900091



Arthroscopy Shafts universal

	article no.
Arthroscopy shaft with two rotatable valves, Ø 2.7 mm	900114
Arthroscopy shaft with two rotatable valves, Ø 4.0 mm	900014
Arthroscopy shaft with two fixed valves, Ø 4.0 mm	900052
Arthroscopy shaft with two rotatable valves, Ø 4.0 mm, 30°	900305
High-flow arthroscopy shaft with two rotatable valves, Ø 4.0 mm	900235
High-flow arthroscopy shaft, quick-lock, with two rotatable valves, Ø 4.0 mm	900252



Trocar, obturator

	article no.
Trocar pointed for article no. 900114	900115
Obturator conic blunt for article no. 900114	900120
Trocar pointed for article no. 900014, 900052	900016
Obturator conic blunt for article no. 900014, 900052	900012
Trocar pointed for article no. 900235, 900252, 900305	900236
Obturator conic blunt for article no. 900235, 900252, 900305	900237

24" LCD Monitor SONY LMD-2451MD

- **24" LCD Monitor**
article no. 900066
- **Base stand**
article no. 900067



LCD Monitor

- 24 inch LCD monitor
- 16.7 million colours
- native resolution WUXGA (1920 x 1200)
- angle of view (h/v) 178°/178°
- picture-in-picture function

26" LCD Monitor Barco MDSC-2226

- 26" LCD Monitor
article no. 900324



LCD Monitor


- 26 inch LCD monitor
- 16.7 million colours
- native resolution Full HD (1920 x 1080)
- angle of view (h/v) 178°/178°
- picture-in-picture function



- **LED Light Source**
article no. 913030

LED Light Source

- high natural colour rendering with strong light intensity
- very homogeneous illumination, no edge shadowing effects or blooming
- glare shield when light conduction cable is not plugged in
- low-noise operating with minor heat development
- lifetime of bulb: approx. 30,000 hours
- setting of luminance intensity: digital in 10 steps
- light conducting cable connection: type Storz /other brands on request



Light Conducting Cable

- With adapter type Storz; other brands on request

	article no.		article no.
Ø 3.5 1800 mm	900037	Ø 4.8 1800 mm	900023
Ø 3.5 2300 mm	900038	Ø 4.8 2300 mm	900015
Ø 3.5 2500 mm	900039	Ø 4.8 2500 mm	900003
Ø 3.5 3000 mm	900040	Ø 4.8 3000 mm	900032
Ø 3.5 4000 mm	900041	Ø 4.8 3500 mm	900034
Ø 3.5 5000 mm	900042	Ø 4.8 4000 mm	900035
		Ø 4.8 5000 mm	900036

Standard colour: light grey
On request, the cables are also available in different colours.



Documentation System

UR-4MD

article no. 900255

Keyboard USB

article no. 900230

Keyboard USB US/EU

article no. 900313

Foot Switch

TEAC UR-4MD

article no. 900314

	TEAC UR-4MD
Device type	Medical HD-recording device with integrated 500 GB hard disk Recording of HD videos and freeze images. Recordings to internal hard disk, network and up to two concurrent USB sticks. Easy operation by way of the 3.5" display and the OSD. Facilitated connection due to automatic signal detection. Data loss is prevented due to memory monitoring and safe shutdown (UPS).
Video inputs	DVI, SDI, S-Video, composite
Video outputs	DVI, SDI (out/thru), S-Video, composite
Image format	JPG, DICOM
Video format	MOV (H.264 / MPEG4)
Audio inputs	Line In, microphone (3.5 mm jack plug)
Audio outputs	SDI (BNC), Line (3.5 mm jack plug)
Network operation	RJ45 10/100/1000 ethernet
Internal memory	500 GB hard disk
External memory	USB stick, USB hard disk; network drive
Other connections	2 x 3.5 mm jack plug (external trigger)
Accessories (optional)	keyboard, remote control, foot switch, bar code/card reader

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS



Inflow Pump P2

- flow rate adjustable from 0.2 l/min. – 1.5 l/min.
- pressure adjustable from 10 mmHg – 200 mmHg
- pressure and flow rate can be adjusted independently
- fast reaction to pressure fluctuations by optimized control and powerful stepper motor
- user-friendly and simple inserting of the tube
- comfortable filling of the reservoir without fluid loss
- rinsing function

The tube system can be obtained as

- two-piece variant, consisting of day's set and patient end-tube
- one-piece complete tube set

- **Arthroscopy Pump**
article no. 913031

	article no.
Daily tube set for arthroscopy	900154
Patient end tube with Luer Lock	900153
Complete set for arthroscopy	900209

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

Mobile Mounting System EBERLE Compact Cart



- **Mobile Mounting System**
Height 1.3 m
article no. 900301
- Basic equipment:
 - rear doors
 - 3 shelves
 - 1 drawer high
 - main switch
 - monitor mount
 - camera head mount

Optional Equipment

- Castors with cable guard article no. 900226
- Infusion stand article no. 900223
- Sliding keyboard shelf article no. 900227
- Isolation transformer article no. 900228

Mobile Mounting System EBERLE Compact Cart



- **Mobile Mounting System**
Height 1.5 m
article no. 900135
- Basic equipment:
 - rear doors
 - 3 shelves
 - 1 drawer high
 - main switch
 - monitor mount
 - camera head mount

Optional Equipment

- Castors with cable guard article no. 900226
- Infusion stand article no. 900223
- Sliding keyboard shelf article no. 900227
- Isolation transformer article no. 900228

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

Suction Punch

self resetting



	article no.
Suction punch handle without suction control	51911
Suction punch handle with suction control	51918

Suction Punch

self resetting
for small joint surgery



Ø 2.5 mm article no. 51925

	article no.
Suction punch handle with suction control	51920

Cleaning Adapter

for suction punch blade

article no. 100013



Cleaning Adapter








for suction punch handle
handles article no. 51911, 51918 and 51920

article no. 100021

Hand instrument knee

with standard handle










	jaw height	cut width	jaw width	article no.
 Basket punch, oval, straight	1.65 mm	4.39 mm	6.57 mm	900257
 Basket punch, oval, straight, jaw angled up	1.65 mm	4.39 mm	6.57 mm	900264
 Arthroscopy punch, medium, straight	1.93 mm	3.29 mm	5.00 mm	900247
 Arthroscopy punch, medium, straight, jaw angled up	1.93 mm	3.29 mm	5.00 mm	900250
 Arthroscopy punch, medium, angled up	1.93 mm	3.29 mm	5.00 mm	900263
 Arthroscopy punch, medium, left-curved	1.93 mm	3.29 mm	5.00 mm	900248
 Arthroscopy punch, medium, right-curved	1.93 mm	3.29 mm	5.00 mm	900249


Hand instrument knee

with ergonomic handle



	jaw height	cut width	jaw width	article no.
 Basket punch, oval, straight	1.65 mm	4.39 mm	6.57 mm	900259
 Basket punc, oval, straight, jaw angled up	1.65 mm	4.39 mm	6.57 mm	900258
 Arthroscopy punch, medium, straight	1.93 mm	3.29 mm	5.00 mm	900269
 Arthroscopy punch, medium, straight, jaw angled up	1.93 mm	3.29 mm	5.00 mm	900270
 Arthroscopy punch, medium, angled up	1.93 mm	3.29 mm	5.00 mm	900251
 Arthroscopy punch, medium, left-curved	1.93 mm	3.29 mm	5.00 mm	900271
 Arthroscopy punch, medium, right-curved	1.93 mm	3.29 mm	5.00 mm	900272

Hand instrument shoulder



- **Suture Hook**
with classic handle



	working length	article no. classic handle	article no. axial handle
 Clever Hook pointed tip left	155 mm	900318	900316
 Clever Hook pointed tip right	155 mm	900319	900317
 Sixter tip turned left	155 mm	900322	900320
 Sixter tip turned right	155 mm	900323	90321

Hand instrument shoulder



○ Suture Retriever Grasper


	working length	article no.
 serrated, shaft straight	155 mm	900286
 King, cross serrated, shaft straight	155 mm	900325

Tissue Grasping Forceps shaft straight

working length	article no.
155 mm	900331

- Suture Hook



	working length	article no.
 shaft straight	155 mm	900329




Knot Pusher with ring Ø 4 mm

shaft straight

working length	article no.
155 mm	900283

Hand instruments for small joints



	tip profile	bite width	tip width	article no.
 Basket punch, junior, blunt, straight	1.70 mm	1.70 mm	3.00 mm	900326
 Basket punch, junior, oval, straight	1.20 mm	2.30 mm	3.50 mm	900327
 Arthroscopy punch, junior, straight	1.20 mm	2.30 mm	3.50 mm	900328



EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

Monopolar HF Instruments








	article no.
Connector cable with 2 button hand pieces for electrode Ø 4.0	900140




	article no.
Connector cable foot control for electrode Ø 4.0	900141



	article no.
 Arthroscopy needle electrode 90° 1.5 / shaft Ø 4.0 x 130	900142
 Arthroscopy needle electrode 90° 4.0 / shaft Ø 4.0 x 130	900143
 Arthroscopy knife electrode 45° 4.0 / shaft Ø 4.0 x 130	900144
 Arthroscopy pencil electrode 90° 3.0 / shaft Ø 4.0 x 130	900145
 Arthroscopy ball electrode Ø 4.0 / shaft Ø 4.0 x 122	900146

Bipolar Arthroscopy Electrodes

reusable



Hook electrode 90°

Hook Ø	length of shaft	length of hook	article no.
0.8	115	1.5	900193
0.85	170	1.5	900268

Vaporisation electrode 90°

length of shaft	article no.
115	900232
170	900231







Vaporisation electrode 70°

length of shaft	article no.
115	900195
170	900194

The bipolar arthroscopy electrodes listed above may not be used in combination with Arthrocare units.

Microfracture Surgery



		article no.
	Chisel, 30° pointed	900147
	Chisel, 45° pointed	900148
	Chisel, 60° pointed	900149
	Chisel, 30° flat	900150
	Raspatory, convex	900151
	Raspatory, straight	900152

Meniscus Probe

with fixed handle



	article no.
Meniscus probe 3.5 mm	900022
Meniscus probe 5.0 mm	900136

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems

Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

Screw Driver

for bioresorbable interference screws



	article no.
Screw driver	900070

Interference Screws

bioresorbable



continuous screw thread

	article no.		article no.
Ø 7 20 mm	900071	Ø 9 25 mm	900076
Ø 7 25 mm	900072	Ø 10 25 mm	900077
Ø 8 20 mm	900073	Ø 10 30 mm	900078
Ø 8 25 mm	900074	Ø 11 25 mm	900079
Ø 9 20 mm	900075	Ø 11 30 mm	900080

EBERLE

Product Program

Drive Systems and Accessories

Shaver systems with control unit, motor hand pieces and foot switch

Shaver Blades

Sawing Blades, Drills and Wires

Camera and Accessories

Camera system, endoscopes, trocars, shafts
monitor, light source, documentation system

Rinsing System and Accessories

Inflow pump, tubes

Device Mounting System and Accessories

Arthroscopy Hand Instruments

Suction punch, cutters

Surgical Instruments

Sensors, instruments for microfracture surgery, HF instruments

Implants and Accessories

Interference screws, insertion aids

Shaver Blades for Third-Party Systems




Linvatec, Arthrex, Concept, Smith & Nephew, Dyonics EP-1,
Aesculap, Stryker TPS

Shaver Blades for Linvatec, Arthrex, Concept

effective length 130 mm
reusable, sterile packaging











Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	021135S	021142S	021148S	021155S	
	Full Radius Resector Sharp Cut		022742S			
	Aggressive Full Radius	021335S	021342S	021348S	021355S	
	Aggressive Full Radius Plus		023442S			
	Double Full Radius		022542S		022555S	
	Double Aggressive Full Radius		022342S		022355S	
	Conical Double Full Radius		022442S			
	Full Radius Resector Small Window		022242S		022255S	
	Meniscus Cutter	021235S	021242S		021255S	

continued on page 10.1

Shaver Blades for Linvatec, Arthrex, Concept

continued from page 10.0




		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter	021535S	021542S	021548S	021555S	
	Aggressive Meniscus Cutter Plus		022142S			
	Double Meniscus Cutter		022642S		022655S	
	Aggressive Meniscus Side Cutter	021435S	021442S		021455S	
	Round Burr		021042S Ø burr 3.0 mm		021055S Ø burr 4.0 mm	021065S Ø burr 5.0 mm
	Oval Burr				021955S Ø burr 4.0 mm	021965S Ø burr 5.0 mm
	Aggressive Oval Burr				023855S Ø burr 4.0 mm	023865S Ø burr 5.0 mm
	Tapered Burr				021855S Ø burr 4.0 mm	

Shaver Blades for Linvatec, Arthrex, Concept

effective length 130 mm. 15° bent
reusable, sterile packaging



Packing unit 5 pieces




	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector Cutting window inwards		023042S		023055S	
 Aggressive Full Radius Cutting window inwards		023242S		023255S	
 Aggressive Meniscus Side Cutter Cutting window outwards		023142S		023155S	

Shaver Blades for Linvatec, Arthrex, Concept

for hip arthroscopy, tubular. effective length 210 mm
reusable, sterile packaging








Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector Sharp Cut tubular		022742HS			
 Aggressive Full Radius tubular		021342HS	021348HS	021355HS	
 Meniscus Cutter tubular		021242HS			

continued on page 10.3

Shaver Blades for Linvatec, Arthrex, Concept

continued from page 10.2


		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter tubular		021542HS	021548HS	021555HS	
	Aggressive Meniscus Cutter Plus tubular		022142HS			
	Round Burr				021055HS Ø burr 4.0 mm	
	Oval Burr				021955HS Ø burr 4.0 mm	
	Aggressive Oval Burr				023855HS Ø burr 4.0 mm	

Shaver Blades for Linvatec, Arthrex, Concept

for hip arthroscopy, effective length 210 mm, 15° bent
reusable, sterile packaging



Packing unit 5 pieces




		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Full Radius Cutting window inwards		023242HS		023255HS	

Shaver Blades for Linvatec, Arthrex, Concept

for small joint surgery, effective length 70 mm
reusable, sterile packaging



Packing unit 5 pieces


		Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
	Full Radius Resector	021120S	021125S	
	Aggressive Full Radius	021320S	021325S	
	Round Burr		021025S Ø burr 1.8 mm	021035S Ø burr 2.5 mm



Cleaning Adapter

for reusable Linvatec,
Arthrex, Concept
Shaver Blades

article no. 100007



Cleaning Set






article no. 900019

Shaver Blades for Smith & Nephew, Dyonics EP-1

effective length 130 mm
reusable











Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	01404	01405	01406	
	Full Radius Resector Sharp Cut		01420		
	Aggressive Full Radius	01407	01408	01409	
	Aggressive Full Radius Plus		01446		
	Double Full Radius		01441	01442	
	Double Aggressive Full Radius		01418	01419	
	Conical Double Full Radius		01450		
	Full Radius Resector Small Window		01422	01440	

continued on page 10.6

Shaver Blades for Smith & Nephew, Dyonics EP-1

continued from page 10.5





		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Meniscus Cutter	01423	01424	01425	
	Aggressive Meniscus Cutter	01400	01401	01402	
	Aggressive Meniscus Cutter Plus		01403		
	Double Meniscus Cutter		01444	01445	
	Round Burr		01412	01413	01414
			Ø burr 3.0 mm	Ø burr 4.0 mm	Ø burr 5.0 mm
	Oval Burr			01410	01411
				Ø burr 4.0 mm	Ø burr 5.0 mm
	Aggressive Oval Burr			01448	01449
				Ø burr 4.0 mm	Ø burr 5.0 mm
	Tapered Burr			01415	01416
				Ø burr 4.0 mm	Ø burr 5.0 mm

Shaver Blades for Smith & Nephew, Dyonics EP-1

effective length 130 mm, 15° bent
reusable



Packing unit 5 pieces



		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		01434	01435	
	Aggressive Full Radius Cutting window inwards		01436	01437	
	Aggressive Meniscus Cutter Plus Cutting window inwards		01447		
	Aggressive Meniscus Side Cutter Cutting window outwards		01438	01439	

Shaver Blades for Smith & Nephew, Dyonics EP-1

for hip arthroscopy, effective length 210 mm
reusable









Packing unit 5 pieces

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Sharp Cut tubular		01420H	
	Aggressive Full Radius tubular		01408H	

continued on page 10.8

Shaver Blades for Smith & Nephew, Dyonics EP-1

continued from page 10.7

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Meniscus Cutter tubular	01424H		
	Aggressive Meniscus Cutter tubular	01401H	01402H	
	Aggressive Meniscus Cutter Plus tubular	01403H		
	Round Burr		01413H Ø burr 4.0 mm	
	Oval Burr		01410H Ø burr 4.0 mm	
	Aggressive Oval Burr		01448H Ø burr 4.0 mm	

Shaver Blades for Smith & Nephew, Dyonics EP-1

for hip arthroscopy, effective length 210 mm, 15° bent
reusable



Packing unit 5 pieces

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 <p>Aggressive Full Radius Cutting window inwards</p>		01436H	01437H	

Cleaning Adapter


for reusable
EP-1 Shaver Blades

article no. 100005



Cleaning Set

article no. 900019







Shaver Blades for Aesculap

effective length 130 mm
reusable



Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	031135	031142	031155	
	Full Radius Resector Sharp Cut		032742		
	Aggressive Full Radius	031335	031342	031355	
	Double Full Radius		032542	032555	
	Double Aggressive Full Radius		032342	032355	
	Conical Double Full Radius		032442		
	Full Radius Resector Small Window		032242	032255	
	Meniscus Cutter	031235	031242	031255	
	Aggressive Meniscus Cutter	031535	031542	031555	

continued on page 10.11

Shaver Blades for Aesculap

continued from page 10.10



		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter Plus		032142		
	Double Meniscus Cutter		032642	032655	
	Aggressive Meniscus Side Cutter	031435	031442	031455	
	Trimmer	032035	032042	032055	
	Point Resector		032942		
	Round Burr		031042 Ø burr 3.0 mm	031055 Ø burr 4.0 mm	031065 Ø burr 5.0 mm
	Oval Burr			031955 Ø burr 4.0 mm	031965 Ø burr 5.0 mm
	Aggressive Oval Burr			033855 Ø burr 4.0 mm	033865 Ø burr 5.0 mm
	Tapered Burr			031855 Ø burr 4.0 mm	031865 Ø burr 5.0 mm

Shaver Blades for Aesculap

effective length 130 mm, 15° bent
reusable



Packing unit 5 pieces




		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		033042	033055	
	Aggressive Full Radius Cutting window inwards		033242	033255	
	Aggressive Meniscus Side Cutter Cutting window outwards		033142	033155	

Shaver Blades for Aesculap

for hip arthroscopy, effective length 210 mm
reusable








Packing unit 5 pieces

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Sharp Cut tubular	032742H		
	Aggressive Full Radius tubular	031342H		
	Meniscus Cutter tubular	031242H		

continued on page 10.13

Shaver Blades for Aesculap

continued from page 10.12

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter tubular	031542H	031555H	
	Aggressive Meniscus Cutter Plus tubular	032142H		
	Round Burr		031055H Ø burr 4.0 mm	
	Oval Burr		031955H Ø burr 4.0 mm	
	Aggressive Oval Burr		033855H Ø burr 4.0 mm	

Shaver Blades for Aesculap

for hip arthroscopy, effective length 210 mm, 15° bent
reusable



Packing unit 5 pieces




		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Full Radius Cutting window inwards	033242H	033255H	

Shaver Blades for Aesculap

for small joint surgery, effective length 70 mm
reusable, sterile packaging




Packing unit 5 pieces

		Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
	Full Radius Resector	031120	031125	
	Aggressive Full Radius	031320	031325	
	Round Burr		031025	031035
			Ø burr 1.8 mm	Ø burr 2.5 mm

Cleaning Adapter


for reusable
Aesculap Shaver Blades

article no. 100003



Cleaning Set

article no. 900019





Shaver Blades for Stryker TPS

effective length 130 mm
reusable






Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	041135			
	Full Radius Resector Sharp Cut		042742		
	Aggressive Full Radius	041335	041342	041355	
	Double Full Radius		042542	042555	
	Aggressive Meniscus Cutter Plus		042142		
	Double Meniscus Cutter		042642	042655	

continued on page 10.16

Shaver Blades for Stryker TPS

continued from page 10.15

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Round Burr			041055 <small>Ø burr 4.0 mm</small>	
	Oval Burr			041955 <small>Ø burr 4.0 mm</small>	041965 <small>Ø burr 5.0 mm</small>
	Aggressive Oval Burr			043855 <small>Ø burr 4.0 mm</small>	043865 <small>Ø burr 5.0 mm</small>

Cleaning Adapter


for reusable
Stryker Shaver Blades

article no. 100009



Cleaning Set

article no. 900019



EBERLE GmbH & Co. KG

Glasbronnenstraße 6
75449 Wurmberg
Phone +49 (0) 7044 9611-0
Fax +49 (0) 7044 9611-11
info@eberle-med.com
www.eberle-med.com

Distribution:

Carl-Peschken-Straße 5c
47441 Moers
Phone +49 (0) 2841 88700-32
Fax +49 (0) 2841 88700-37
sales@eberle-med.com
